




SEAHAWK GFX

aviation photography




**Recommendations for in-camera settings for aviation
photography – Nikon D100, D200, D300**



SEAHAWK GFX

aviation photography




Content

Recommendations for in-camera settings for aviation photography – Nikon D100, D200, D300	1
1. Introduction	3
1.1 Understanding P* mode (for all cameras).....	3
2. D100	4
2.1 Basic settings.....	4
2.2 Custom Settings Menu.....	4
3. D200	5
3.1 Basic Settings	5
3.2 The Shooting Menu.....	6
3.3 Custom Settings.....	6
4. D300	6
4.1 Basic Settings	7
4.2 The Playback Menu	8
4.3 The Shooting Menu.....	8
4.4 Custom Settings.....	8



SEAHAWK GFX

aviation photography



1. Introduction

This guide is meant as a basic guideline for in camera settings that I found useful on the 3 camera types listed, when using them for spotting. The settings are focused on the jpg shooter. For the RAW shooter many things are not as important, as the settings can be altered in the editing of the RAW file.

While I only used the 3 cameras listed many tips could be useful on other Nikon DSLR cameras of the same generation.

Behind each recommended setting you will find the page of the cameras manual where you will find more about that setting and how to change it.

If you have a non US manual for your camera, you can download the US version at http://support.nikontech.com/app/answers/detail/a_id/13948#Anchor-21683 so you can compare the pages listed here to the manual in your language.

1.1 Understanding P* mode (for all cameras)

Many experienced photographers will tell you that you should never let the camera take control of the exposure, which is basically correct, however Nikon offers a good compromise between control and safety with the P* mode.

P* allows you to customize the P (Program mode) by rotating the main command dial. You can set it to use to use faster shutter speeds or small apertures. The good thing about that option is that the reaction to changing light conditions is instant. So a suddenly moving in cloud or a dark coloured aircraft do not need any manual influence by the user. The camera will adjust shutter speed and aperture as needed. With P or A mode one setting is fixed. The camera changes shutter speed and aperture, but also considers if you wanted a faster shutter speed.

Say we are starting at ISO 200, 1/1000th and F8 suddenly a cloud moves in.

- P* would adjust to 1/800 and F7.1
- A would adjust to 1/640 (or lower) and F8
- S Would adjust to 1/1000th and F6.3


For spotting I recommend the following settings:

- D100: 2 clicks to the right (towards faster shutter speed)
- D200: 3-4 clicks to the right (2-3 for a VR lens)
- D300: 3-4 clicks to the right (2-3 for a VR lens)



SEAHAWK GFX

aviation photography



2. D100

The D100 was the first affordable semi-professional Nikon DSLR. It features a 6MP CCD sensor and is based on the F80 film body. It features the CAM900 auto focus module, which offers 5 AF sensors (one cross-type).

Recommendations for the D100 could be useful for the D70, D70s, D50 and D40.

2.1 Basic settings

Shooting Mode: Continuous	P41	
Image Quality and Size: JPEG fine (or RAW if you want to use RAW)	P43	P136
ISO: 200 – whenever possible	P48	P139

Compared to today's standards the D100 is noisy, so I do not recommend going much higher than ISO 200, if you are planning on up-loading your shots to the aviation photo databases on the net.

White balance: Auto -2 or Cloudy -1	P50	P138
-------------------------------------	------------	-------------

The automatic White Balance of the D100 is known for its green colour cast. It is recommended to use a warmer setting the usual to counter this. Taking a PRESET WB is a good idea under difficult light conditions, as is shooting RAW under such conditions.

Image Sharpening: Normal	P58	P140
Tone Compensation: Normal	P59	P141
Colour Mode: sRGB	P60	P142
Hue Adjustment: 0	P62	P143
Focus Mode: C	P63	
AF Area Mode: Dynamic Area AF	P65	
Metering: Centre weighted	P75	
Exposure Mode: P* works good and can an alternative to A and S	P76	


2.2 Custom Settings Menu

EV Step: 1/3	P151
AE-L / AF-L: AE-L Lock only	P154



SEAHAWK GFX

aviation photography



Grid Display: On

P157

Dyn. AF AF-C: Select AF Area

P157

3. D200

The Nikon D200 replaced the D100 in Nov. 2005, It has a magnesium alloy body, which is weather sealed. The sensor is a 10MP CCD: The AF has been improved to CAM 100 with more focus points and much better accuracy. In addition the matrix metering mode is now capable to recognize colours and uses a 1005 segment matrix mode to find the exposure.

Settings for the D200 might be useful for D80, D90, D60 and D40X as well.

3.1 Basic Settings

Shooting Mode: CL

P26

I would use CH only for airshows. For normal airliners CL set to 3 fps is enough.

Image Quality: JPEG Fine

P28 P129

RAW format can be used for more control in editing your image. But if you want to learn your camera I would suggest RAW, as the faults you made in using it will be more obvious. Because of that you should use RAW whenever it really counts.

ISO Sensitivity: 200

P33

You can go down to 100 if the weather allows. I would not go over 320, as the noise becomes a problem at 400 and above.

White Balance: Auto

P35 P129

The automatic white balance has been much improved compared to the D100, Under natural light Auto will work just fine most of the time.

Optimizing Images: Normal

P45 P129

Color Space: sRGB

P50 P129

Focus Mode: Continuous Servo AF-C

P51

AF Area Mode: Dynamic area AF

P54

Metering: Centre weighted

P61

Exposure mode: P*


P62

You can use S and A mode when you want. M only makes sense for night shots or static subjects.



SEAHAWK GFX

aviation photography



3.2 The Shooting Menu

I have only listed points that are not covered in the Basic Settings part of this guide.

Image Size: Large	P130
JPEG Compression: Optimal Quality	P130
RAW Compression: Comp RAW	P130
Long Exp NR: Off	P131
High ISO NR: Low	P131

3.3 Custom Settings

AF-C Mode Priority Selection: Focus	P148
AF-S Mode priority Selection: Focus	P148
Focus Tracking with Lock-on: Normal	P150
Center Weighted Area: 10mm	P155
Assignment of AE-L/AF-L Button: AE Lock only	P157
Viewfinder Grid Display: On	P158
CL Mode Shooting Speed: 3FPS	P158
Assign Func Button: Matrix Metering	P170

Very handy to quickly switch metering modes.

4. D300


Announced in August 2007 the D300 was the next upgrade in the Nikon line of semi-professional DSLR cameras after the D200. It features a 12MP CMOS sensor. The focus system has been improved. It now has the 51 point (11 cross-type) CAM3500DX AF system, which is a big step up from the D200 and leaves no comparison to the old D100. It is the same AF system as used in the Nikon D3 professional camera. The switch to the CMOS type sensor has greatly improved the high ISO quality of the camera.

Settings for the D300 can be used on the D700, D90, D5000 and D3 series of cameras.



SEAHAWK GFX

aviation photography



4.1 Basic Settings

Image Quality: JPG Fine

P56

RAW format can be used for more control in editing your image. But if you want to learn your camera I would suggest RAW, as the faults you made in using it will be more obvious. Because of that you should use RAW whenever it really counts.

Image Size: L

P60

Focus Mode: AF-C Continuous Servo AF

P62

AF-Area Mode: Dynamic Area AF

P64

Release Mode: CL

P74

You can use CH at airshows. CL is usually good enough for airliners.

ISO Sensitivity: 200

P96

Up to ISO 400 should work on a D300. Going under ISO200 is not recommended.

.Metering Mode: Center weighted

P102

The improved 3D Matrix Metering of the D300 does a very good job for spotting. Even in high contrast scenes and low contrast scenes. It makes sense to use, but center weighted still is the safer and more predictable bet.

Exposure mode: P*

P104

You can use S and A mode when you want. M only makes sense for night shots or static subjects.

White Balance: Auto

P127

Auto works well under natural light.

Nikon Picture controls: neutral

P150

Neutral is less contrasty but gives you the largest useable dynamic range and leaves the most options for editing. You can download picture control settings at the Nikon website, which make the camera record the pictures like a D2X.

Active D-Lighting: OFF

P167

For RAW shooters the use of "Low" is recommended, as you can not turn the function on when you took the pic with ADL off. However you can turn ADL off, when you took the picture with ADL set to "Low". For the jpeg shooters, I strongly recommend turning this option off, as the function can create halos. It often looks like an overuse of the shadow and highlight tool in Adobe Photoshop, especially if you take a photo of a bright white aircraft against a dark blue sky and in other high contrast scenes.


Color Space: sRGB

P169



SEAHAWK GFX

aviation photography



4.2 The Playback Menu

Display Mode: Highlights + RGB Histogram **P250**

4.3 The Shooting Menu

Long Exp. NR: Off **P262**

High ISO NR: Normal or Low **P263**

4.4 Custom Settings

AF-C Priority Selection: Focus **P267**

AF-S Priority Selection: Focus **P268**

Dynamic Area AF: 21 points **P269**

I would recommend using 51 points for airshows and 21 points for airliners.

Focus Tracking with Lock-on: Normal **P270**

AF point selection: 11 **P272**

51 point option can be tried, but for me it takes too long to move the focus point with 51 points selected.

Center Weighted Area: 10mm **P277**

Viewfinder Grid Display: On **P281**

CL Shooting Mode Speed: 3 FPS **P282**

Assign FUNC Button: Matrix Metering **P303**

Assign AE-L / AF-L Button: AE lock only **P307**